

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S26	1	"6657209"	USPAT	OR	ON	2005/03/16 11:03
S37	486	"ion gauges"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:07
S27	7	("4539217" "4587433" "5760409" "5998798" "6031240" "6093625" "6297510").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/16 11:16
S11	14	("5760409").URPN.	USPAT	OR	ON	2005/03/15 12:52
S39	14	("5760409").URPN.	USPAT	OR	ON	2005/03/16 12:24
S20	0	("6657209").URPN.	USPAT	OR	ON	2005/03/15 13:58
S21	13	(cryo adj pump) and (ion adj gauge)	USPAT	OR	ON	2005/03/16 09:46
S34	0	(first adj ion adj gauge) and (second adj ion adj gauge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:06
S13	413	(ion adj (gauge or pressure)) and gauge and vacuum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:54
S36	0	(ion adj gauge\$1) and pressure and (cryo adj pump) and p-comp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:07
S35	0	(ion adj gauge\$1) and pressure and cryopump and p-comp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:07
S1	877	(ion adj Gauge) or (pressure adj (sensor or detector)) and (ion adj beam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:37
S31	488	(ion adj Gauge) or (pressure adj (sensor or detector)) and (ion adj beam) and cryopump	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:40

Best Available Copy

S17	486	(ion adj gauges)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:48
S22	919	(ion same implant\$5) and (pressure adj (sensor or detector or gauge))	USPAT	OR	ON	2005/03/16 10:10
S12	62	(p-comp or pcomp)	USPAT	OR	ON	2005/03/15 13:56
S19	1	(p-comp or pcomp) and (ion adj gauge\$1)	USPAT	OR	ON	2005/03/15 13:56
S18	84	(resist near4 outgassing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:48
S30	38	(US-20020117615-\$ or US-20020130277-\$ or US-20030121887-\$ or US-20050051096-\$).did. or (US-3278837-\$ or US-3576465-\$ or US-4539217-\$ or US-4587433-\$ or US-4680474-\$ or US-4743767-\$ or US-4873833-\$ or US-4917556-\$ or US-5093571-\$ or US-5134299-\$ or US-5306408-\$ or US-5760409-\$ or US-5981955-\$ or US-5981961-\$ or US-5998798-\$ or US-6031240-\$ or US-6054862-\$ or US-6093625-\$ or US-6137112-\$ or US-6160262-\$ or US-6297510-\$ or US-6300642-\$ or US-6323497-\$ or US-6600163-\$ or US-6603128-\$ or US-6639231-\$).did. or (US-6657209-\$ or US-6673673-\$ or US-6677598-\$ or US-6797336-\$ or US-6797967-\$ or US-6831280-\$ or US-6833314-\$).did. or (JP-01065256-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/03/16 11:37
L1	1402	250/491.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L2	2552	250/492.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45

L3	4227	250/492.2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L4	1394	250/492.21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L5	514	250/492.23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L6	2129	250/492.3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L7	1145	250/493.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L8	1092	250/504R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L16	1251	355/30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L15	989	355/52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L14	4713	355/53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L13	2224	355/55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45

L12	1193	355/69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L10	2644	355/71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L11	1663	355/72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
L9	6179	430/5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 14:45
S15	411	axcelis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:01
S33	411	axcelis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:06
S4	12	garza.in. and (ion and pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:33
S28	5522	high same energy same ion same implantation	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/16 11:16
S10	0	infineon and (ion adj gauge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:42
S7	16459	infineon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:42

S3	97	pcomp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:32
S6	360	peterson.in. and (ion and pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:33
S2	46	S1 and ((cryo or cryogenic) near4 pump\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:55
S14	41	S13 and ((cryo or cryogenic) near4 pump\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:01
S16	119	S15 and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:05
S23	134	S22 and (((ion or pressure) adj (gauge or sensor or detector)) same pump)	USPAT	OR	ON	2005/03/16 10:54
S29	68	S28 and ((ion or pressure) adj gauge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/16 11:17
S32	4	S30 and cryopump	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:49
S38	124	S37 and switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:08
S9	0	S7 and (ion adj gauge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:41
S8	0	S7 and (ion adj gauge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:41

S25	23	switch\$5 same (ion adj gauge)	USPAT	OR	ON	2005/03/16 11:03
S24	11	varian.as. and (ion adj gauge)	USPAT	OR	ON	2005/03/16 10:56
S5	417	wright.in. and (ion and pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:41

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.